ADEMCO Video Systems
1/3" Hi-Resolution Color Camera
ACC484TP

- 480 TVL
- 48dB S/N
- 0.7 lux @ F1.2
- NVT built-in or coax video
- Twisted pair or DCT switch
- 8 BLC windows
- Peak white inversion
- SPS/12 VDC or 24 VAC

ADEMCO VIDEO SYSTEMS A Honeywell Company

ADEMCO Video Systems
1/3" Standard Resolution Color Camera
ACC334TP

- 330 TVL with 48db S/N
- 0.5 lux @ F1.2
- Twisted pair or coax video
- DCT switch
- 4 BLC windows
- SPS/12 VDC or 24 VAC

ADEMCO VIDEO SYSTEMS A Honeywell Company

Samsung CCTV
1/3" Digital Color Camera
OG-SCC131A

- 480 lines resolution
- Min. illumin.: 0.5 lux
- 24VAC & DC 12V
- BLC and 2 white balance control modes
- Built-in ground loop transformer

SAMSUNG ELECTRONICS

ADEMCO Video Systems
1/3" Hi-Resolution Color Camera
ACC474E

- 480 TVL with 48dB S/N ratio
- 1.5 lux @ F1.2
- Auto white balance
- Compatible with DD or Video type auto iris lenses
- BLC & AES (1/60 to 100,000 sec.)
- SPS 12 VDC/24 VAC

eseries ADEMCO VIDEO SYSTEMS A Honeywell Company

ADEMCO Video Systems
1/3" Color Camera
ACC334E

- 330 TVL with 46dB S/N ratio
- 1.0 lux @ F1.2
- BLC & AES (1/60 to 100,000 sec.)
- Auto White Balance
- Compatible with DD or Video type auto iris lenses
- SPS 12 VDC/24 VAC

eseries ADEMCO VIDEO SYSTEMS A Honeywell Company

Samsung CCTV
1/3" Super WDR Color Camera
OG-SCC833

- 1/3" IT Super HAD CCD/410,000 pixels
- 480 lines horizontal resolution
- High sensitivity with minimum scene illumination of 0.06 lux (F1.2)
- Dual shutter
- IC Series

UL SAMSUNG ELECTRONICS

Panasonic
1/2" Ultra-Sensitive Color Camera
PA-WVCL924A

- 480 lines Color resolution
- 570 lines B/W resolution
- Selectable color or B/W modes
- Illumination: 0.3 lux @ F1.4 in color mode & 0.2 lux @ F1.4 in B/W mode
- 24VAC and 12VDC

Also available: PA-WVCL920A
- 120VAC version

Panasonic

Panasonic
1/3" Color CCD Camera
PA-WVCP244

- 480 lines horiz. resolution
- 50dB signal-to-noise ratio
- Digital signal processing
- Advanced digital BLC capability
- 24VAC version with line-lock

Also available:
PA-WVCP240 • 120VAC version
PA-WVCP242 • 12VDC version

Panasonic

Samsung CCTV
1/4" Built-In (x220) Zoom Color Camera
OG-SCC421

- 1/4" IT Super HAD CCD/410,000 pixels
- 480 lines horizontal resolution
- High sensitivity with minimum scene illumination of 0.02 lux (Sens up X128)
- Built-in 22X zoom lens (F/3.6-79 2mm), 10X digital zoom (max X220)
- IC Series

SAMSUNG ELECTRONICS

Panasonic
Super Dynamic II DSP Color Camera
PA-WVCP474H

- 1/2 the size of standard fixed cameras
- Day/Night operation provides optimal images in every lighting conditions
- 0.8 lux @ F1.4 (color), 0.1 lux @ F1.4 (b/w)
- Measures only 2-3/5" W x 2-4/5" H x 2-1/10" D

Panasonic

Panasonic
Network Security Camera
PA-WVNP472

- Super Dynamic II camera
- Day/Night feature
- High sensitivity
- Built-in web server function
- Simultaneous Ethernet & NTSC output
- TCP/IP, HTTP, FTP, SMTP
- 12 VDC

Panasonic

EverFocus Electronics Corp.
1/3" Day/Night Digital Camera
F8-EQ520

- Hi resolution camera in bright light and b/w camera in low light
- 480 TV lines resolution
- 1.0 lux
- Video/Direct Drive switchable

Toshiba
1/3" Digital Hi-Resolution Day/Night Color Camera
TB-IK644A

- 480 lines horizontal resolution
- 0.3 lux @ F1.2
- Digital signal processing
- 50dB S/N ratio - digital recorder ready
- 24VAC/12VDC

TOSHIBA

Toshiba
1/3" Digital Day/Night Color Camera
TB-IK629A

- 350 lines horiz. resolution
- Min. illumination: 0.2 lux
- Digital signal processing
- 50dB S/N ratio - digital recorder ready
- 24VAC/12VDC

TOSHIBA

Toshiba
1/3" Digital Hi-Resolution Day/Night Color Camera
TB-IK645A

- 480 lines horiz. resolution
- 0.2 lux @ F1.2
- Digital signal processing menu driven set-up
- 50dB S/N ratio - digital recorder ready
- 24VAC/12VDC

TOSHIBA

Ultrak
1/3" Hi-Resolution, Small Footprint Color Camera with OSD
UL-KC721BCN

- Hi-res 1/3" CCD color camera with DSP
- 470 lines resolution
- Low light sensitivity 0.8 lux (F1.2)
- Footprint only 1.6" W x 1.6" H x 2.1" D
- On screen display for camera setup
- 12V DC

ULTRAK

Ultrak
1/3" Hi-Resolution Color Camera
UL-KC7520CN

- Hi-performance 1/3" CCD camera with DSP
- 470 lines resolution
- Low light sensitivity 1.6 lux (F1.2)
- Backlight compensation, Gamma & AGC adjustment

ULTRAK

Ultrak
1/3" Standard Resolution Color Camera
UL-KC5520CN

- Hi-performance 1/3" CCD camera with DSP
- 330 lines resolution
- Low light sensitivity 1.25 lux (F1.2)
- Backlight compensation, Gamma & AGC adjustment

ULTRAK

Sanyo
3 YEAR WARRANTY
Super Hi-Res Day/Night DSP Camera
SY-VCC4594

- 520+ horiz. lines res.
- EXview™ HAD CCD technology
- Minimum illumination:
  color: 0.6 lux with F1.2 lens
  b/w: 0.03 lux with F1.2 lens
- Intelligent switching between color and b/w modes with anti-hunting circuit
- Backlight compensation

SANYO

Sanyo
3 YEAR WARRANTY
Day/Night Camera
SY-VCC4324

- 330+ lines of resolution
- Color, Black/White
- Min. illumination:
  color *1.0 lux with F1.2 lens,*
  b/w 0.05 with F1.2 lens
- Perfect for high light/low light applications
- Auto light sensitivity switching

SANYO

Bosch
3 YEAR WARRANTY
1/3" Digital Hi-Res Day/Night Color Camera
PB-V1160N

- 520 TVL (b/w), 480 TVL (color)
- 0.01 lux (b/w), 0.5 lux (color) @ F1.2
- Built-in auto infrared cut filter removeable
- Built-in motion detection
- OSD programming

BOSCH

Sanyo
3 YEAR WARRANTY
Cube Style Color DSP Camera
SY-VCC5774

- 480+ lines horiz. resolution
- 1.4 lux @ F1.2
- Dual power: 24VAC/12VDC
- Internal/Line-Lock
- Compact cube design: *2.5" W x 2.7" H x 2.0" D*
- C/CS mount DC auto iris lenses

Also avail: SY-VCC5774M
- For use w/manual iris lens

SANYO

Sanyo
3 YEAR WARRANTY
1/3" Super Hi-Res Color DSP Camera
SY-VCC6574A

- Over 520 lines resolution
- 0.9 lux with F1.2 lens
- 24VAC operation
- Multi-zone light measuring intelligent backlight compensation
- Internal sync/line lock

SANYO

Bosch Dinion™
3 YEAR WARRANTY
1/3" Hi Res Color Camera w/Night Sense
PB-LTC045520

- 480 lines resolution
- Advanced DSP, 12VDC/24VAC
- Extended sensitivity with Nightsense™, 0.2 lux in night mode @ 50IRE
- Auto detection of lens type with Lens Wizard™
- Auto black feature removes glare
- Outstanding picture quality

BOSCH

Sanyo
3 YEAR WARRANTY
1/4" Color CCD DSP Hi-Performance Camera
SY-VCC3944

- 350 TV lines resolution
- Built-in DSP circuitry
- 24VAC & 12VDC, dual power operation
- Min. illumination: 0.3 lux (High gain, F1.2)
- 2 types of backlight compensation

SANYO

Sanyo
3 YEAR WARRANTY
Super Hi-Res Color Camera
SY-VCCZM300

- Super high 520 lines of resolution
- 22X optical & 16X digital zoom
- Approx. lux: 2.0 lux, 0.06 lux (F1.6 x 32 sens-up)
- Incl. Intelligent Motion Detection, Title Display, RS-485

Also available: SY-VCCZM400
- Day/night version

SANYO

Bosch
3 YEAR WARRANTY
Unity™ Camera Package w/Night Sense
PB-UNPCH55E

- Hi sensitivity, hi res package for indoor/outdoor use
- Package includes: Dinion camera w/5-50mm varifocal lens, housing with heater & blower, sunshield, 5' cabling, feed-through mount
- Automatically switches from color mode to b/w in low light conditions

BOSCH

Pelco
5 YEAR WARRANTY
CCD Color Camera
PE-CCC1370H2

- 1/3" format CCD imager
- Hi-res. 470 horiz. TV lines
- 1.0 lux @ 50 IRE F1.2
- Compact body style/24VAC
- DC/Video drive auto iris of fixed/manual iris
- Line lock/Back Light Compensation

Sanyo
3 YEAR WARRANTY
Super Hi-Resolution, Hi-Sensitivity DSP Color Camera
SY-VCC6594

- 520+ TV lines resolution
- 0.3 lux @ F1.2 minimum illumination
- Smart multi-zone weighted BLC
- EXview™ CCD technology
- New DSP circuitry

SANYO

Bosch Dinion™
3 YEAR WARRANTY
1/3" Digital Color Camera
PB-LTC043520

- 330 lines resolution
- High sensitivity
- Advanced DSP, 12VDC/24VAC
- Auto detection of lens type with Lens Wizard™
- Outstanding picture quality and reliability

BOSCH

Pelco
5 YEAR WARRANTY
1/3" DSP CCD Hi-Resolution Color Camera
PE-CC3600H2

- EXview™ HAD Technology
- Hi-res. 480 horiz. TV lines, 0.03 lux @ 30 IRE F1.2
- DC/Video drive auto iris lens
- C/CS lens mount • Line lock/AGC
- 24V AC/DC power, improved power connector

Pelco
5 YEAR WARRANTY
1/3" DSP Hi-Resolution Color Camera with EDR
PE-CC3701H2

- EDR (Extended Dynamic Range) for extreme light applications
- SuperHad Technology
- Hi-res. 480 horiz. TV lines
- 0.4 lux @ 30 IRE F1.2
- DC/Video drive auto/iris lens

ELMO
5 YR. LIMITED WARRANTY
1/3" EXview™ HAD CCD™ Color Camera
EO-TNC4604

- 470 TVL (H)
- 0.70 lux sensitivity
- Compact, 12VDC/24VAC
- DSP improves stability, reliability
- Minimizes smear, reduces noise
- 50dB S/N

EXview™ HAD CCD is a reg. Trademark of the Sony Corp.

ELMO

Pelco
3 YEAR WARRANTY
CC1400HZ162 Series DSP Color CCD Camera
PE-CC14HZ162

- 1/4" format CCD imager
- Hi-res. 470 horiz. TV lines
- Built-in 16X optical zoom lens with 8X digital zoom
- Digital Signal Processing
- AC line lock (24VAC only)

Pelco
5 YEAR WARRANTY
1/3" DSP CCD Hi-Resolution Color Camera
PE-CC3751H2

- Super HAD Technology
- Hi-res. 480 horiz. TV lines, 0.014 lux @ 50 IRE F1.2
- DC/Video drive auto iris lens
- C/CS lens mount • Line lock/AGC
- 24V AC/DC power, improved power connector

ELMO
5 YR. LIMITED WARRANTY
1/3" Color Day/Night Camera
EO-TNC4614DN

- EXview™ HAD CCD™ circuitry
- Sharp color, 480 TVL (H)
- 0.1 lux at F1.2
- 12VDC/24VAC
- Auto convert to b/w
- 50dB S/N

EXview™ HAD CCD is a reg. Trademark of the Sony Corp.

ELMO

Kalatel
CamPlus 500/800 Series
1/3" CCD Camera
KA-KTC500 Series
KA-KTC800 Series

- 480 or 600 line Super HAD CCD
- 24VAC/12VDC power
- Dual BNC video connectors
- 3-8mm or 9-22mm varifocal auto-iris lens
- Easily converts to UTP with BackPack accessory

CamPlus with PlusPack
1/3" CCD Camera
KA-KTC117
KA-KTC217
KA-KTC247

- Converts to UTP, Fiber, IP Addressable or RF
- Installs easily in seconds and is field-retrofittable
- Matches the exact look & feel of the CamPlus

GE Interlogix

Kalatel
ExpressCam Camera System
KA-KTCB Series

- Complete camera system in one box
- Camera, lens, mounting kit, housing & power adapter are ALL included
- Perfect add-on camera kit for any security system
- High quality features and resolution at a value price

GE Interlogix

Watec America Corp.
1/2" Hi-Sensitivty CCD Camera
WA-LCL902K

- 570 TV lines resolution
- .00015 lux (AGC ON/HI)
- DC/Video lens
- Electronic shutter
- AGC on/off
- Gamma selectable

Watec America Corp.
1/3" DSP Color CCD Camera
WA-LCL217HS

- 480 TV lines resolution
- 12VDC
- Max. illumination 0.20 lux @ F1.2 (AGC ON/HI)
- Auto white balance
- Electronic shutter, BLC
- 1.34" x 1.34" x 1.81"

Sony
Built-In Vari-Focal Lens Color Camera
SH-SSCCX13V

- 1/4" Super HAD CCD with minimum illumination of 1.1 lux
- 480 lines resolution
- 24VAC/12VDC power
- Built-in 2.8 to 5.8mm (2x) auto iris varifocal lens
- Indoor/outdoor usage
- SH-SSCMX13V for B/W

SONY

Watec America Corp.
1/3" DSP Color CCD Camera
WA-LCL211H

- 480 TV lines resolution
- Min. illumination 1.0 lux @ F1.2 (AGC HI)
- Auto white balance
- Electronic shutter
- RS-232 interface
- AGC on/off

Watec America Corp.
1/2" CCD Camera
WA-LCL903K

- 570 TV lines resolution
- 0.0003 lux
- DC video/Auto iris
- 12VDC, CS mount
- Gamma selectable

Sony Exwave
1/2" Color Camera
SH-SSCDC54A

3 YEAR WARRANTY

- 470 lines resolution
- 0.8 lux
- Indoor/outdoor usage
- C/CS mount
- Electronic shutter
- SH-SSCDC50A for 12VDC

SONY

Samsung Camera
1/3" Color CCD Camera
SQ-SDC312

- 1/3" IT color CCD camera with 410,000 pixels
- 470+ TV lines resolution
- Selective electronic shutter control
- Back Light Compensation
- Line-lock on AC models

SAMSUNG CAMERA

Samsung Camera
1/3" Color CCD Camera
SQ-SDC242

- 1/3" IT color CCD camera with 270,000 pixels
- 330+ TV lines resolution
- Selective electronic shutter control
- Back Light Compensation
- Line-lock on AC models

SAMSUNG CAMERA

Sony
1/3" CCD Color Camera
with DynaView Technology
SH-SSCDC593

- DynaView technology allows use in day or night
- Hi-resolution: 480 lines resolution
- Excellent sensitivity: *0.8 lux color - 0.07 lux b/w in day/night mode*
- Built-in activity detection & alarm trigger

SONY

JVC
1/3" Day/Night DSP
Color Camera
JV-TKC1460U

- 480 lines resolution with 50dB S/N ratio
- 24V AC, 60 Hz
- 0.4 lux (color) @ F1.2 - 0.1 lux (b/w) @ F1.2
- Extended dynamic range for demanding light conditions

JVC

JVC
1/3" D.S.P. Hi-Res. Color Camera
JV-TKC720U

- 470 lines horiz. resolution with 50dB S/N ratio
- 1.5 lux sensitivity @ F1.2
- Manual & auto white balance
- BLC & AES (1/60 to 1/100,000 sec.)
- Dual power source (24VAC & 12VDC)

JVC

Sony
1/3" Super HAD Color Camera
SH-SSCDC193

- 330 lines resolution
- Excellent sensitivity: 0.6 lux @ F1.2
- Turbo AGC for clear images in low lit areas
- Dual power: AC24V and DC12V

SONY

JVC
1/3" D.S.P. Color Camera
JV-TKC750U

- 330 lines horizontal resolution with 50dB S/N ratio
- 0.28 lux low light sensitivity
- 24V AC, 60 Hz
- 9-bit digital signal processor
- 2H vertical & horizontal detail correction
- C/CS-mount compatible
- Back light compensation

JVC

Tamron
Integrated AF 25X Optical ZoomCam
TM-ZC25NR2
- *RS-232C compatible*

TM-ZC25NR4
- *RS-422/RS-485 compatible*

- Auto focus optical 25X zoom with 2 aspherical lenses - 200X digital zoom
- Day/Night mode with auto IR cut filter switching
- 0.01 lux with Field Integration mode

TAMRON

Sony
Exwave 1/3" Hi-Res Color Camera
SH-SSCDC393

- 480 lines resolution
- Excellent sensitivity: 0.7 lux @ F1.2
- Turbo AGC for clear images in low lit areas
- Dual power: AC24V and DC12V

SONY